L2 L3

L4

(FILE 'HOME' ENTERED AT 11:04:20 ON 31 DEC 2003)

FILE 'MEDLINE, CAPLUS, BIOSIS, SCISEARCH' ENTERED AT 11:04:40 ON 31 DEC 2003

96444 S ADENOVIRUS OR ADENOVIRAL (W) VECTOR L1

16306 S (DEFECTIVE OR REPLICAT? (3A) DEFICIEN?) (7A) ADENOVIRUS OR ADENOV 5547 S (DEFECTIVE OR REPLICAT? (3A) DEFICIEN?) (7A) (ADENOVIRUS OR ADENO 964643 S EYE OR CORNEAL (W) ENDOTHELIUM OR PHOTORECEPTOR OR BIPOLAR OR G

L5 28 S L3 (9A) L4 L6

17 DUP REM L5 (11 DUPLICATES REMOVED)

=> d au ti so ab 1-17 16

- ANSWER 1 OF 17 CAPLUS COPYRIGHT 2003 ACS on STN L6
- Liu, Lee-Cheng; Newton, Perry; Lai, Shoupeng; Morris, Stephen; Atwell, TN Chad; Hill, Christon; Fitzpatrick, Megan; Cardak, Sami; Lizonova, Alena; Qin, Lu; Carrion, Miguel E.; Harris, Brenk K.
- Replication-deficient viral vector production methods and compositions using complementary animal packaging cells

SO PCT Int. Appl., 168 pp. CODEN: PIXXD2

- AB The present invention provides methods of prepg. viral vector particles and viral vector particle compns. The present invention provides a method of producing an adenoviral vector stock by providing a culture of cells permissive for growth of adenoviral vectors. The method is exemplified by prepn. of adenoviral vectors contq. El and/or E4 deletion and expressing a transgene, like TNF, or VEGF, or PEDF, in HEK293 cells which express related adenoviral proteins to complement replication defect in adenoviral vectors. Various culture media and culturing conditions are tested to improve virus prodn. Methods for adenoviral particle purifn. through microfiber filtration and chromatog, are also disclosed.
- ANSWER 2 OF 17 CAPLUS COPYRIGHT 2003 ACS on STN L6
- Campochiaro, Peter A. TN
- Selective induction of apoptosis to treat ocular disease
- SO U.S. Pat. Appl. Publ., 20 pp.
- CODEN: USXXCO AB The invention is directed to a method of prophylactically or therapeutically treating choroidal neovascularization, wherein the method comprises directly administering to the eye a therapeutic factor or a nucleic acid sequence that encodes a therapeutic factor, which is expressed to produce the therapeutic factor, to selectively induce apoptosis of endothelial cells assocd. with neovascularization of the choroid such that choroidal neovascularization is treated prophylactically or therapeutically. The invention also provides a method of prophylactically or therapeutically treating ocular neovascularization, wherein the method comprises directly administering to the eye a nucleic acid sequence encoding a therapeutic factor to promote apoptosis of endothelial cells assocd. with neovascularization, such that the nucleic acid is expressed thereby producing the therapeutic factor to treat ocular neovascularization prophylactically or therapeutically. Mouse

eyes were treated with replication-deficient

adenoviral vectors comprising the coding sequence for pigment epithelium-derived factor (PEDF) operably linked to the CMV immediate early promoter. Eyes injected with AdPEDF.10 subretinally or intravitreously showed smaller regions of neovascularization, as compared to the controls.

1.6 ANSWER 3 OF 17 MEDLINE on STN

- DUPLICATE 1
- Marmorstein Alan D; Peachey Neal S; Csaky Karl G ΔII
- TI In vivo gene transfer as a means to study the physiology and morphogenesis of the retinal pigment epithelium in the rat.

- SO Methods (San Diego, Calif.), (2003 Jul) 30 (3) 277-85. Journal code: 9426302. ISSN: 1046-2023.
- AB Our understanding of the morphogenesis of epithelial phenotypes has been greatly advanced by the use of in vitro cell culture systems. However, cell cultures often do not faithfully reconstitute many of the differentiated properties of the cell from which they are derived and cannot be used to examine complex physiologic interactions between adjacent tissues. This is particularly true of the retinal pigment epithelium (RPE). Many plasma membrane proteins, in vivo, exhibit a reversed polarity with respect to other epithelia, and RPE-derived cell lines seldom exhibit these same polarity properties. Furthermore, the interaction between the RPE cell and the neuorsensory retina, or the underlying blood supply, the choroid, is absent in cell culture. Most epithelia are difficult to isolate and study in vivo. The RPE is an exception to this. We have explored several aspects of RPE protein transport properties, vision-related physiology, and disease-related pathophysiology in the eye using in vivo gene transfer and electrophysiologic techniques. By injecting replication-defective adenoviruses into the subretinal space of rat eyes, we have been able to easily direct the expression of a test protein and follow its sorting and physiologic effects on RPE cells and adjacent tissues. Due to binding and internalization of adenoviral vectors to integrins found on the RPE apical plasma membrane, expression in a healthy eye is essentially confined to the RPE cell, even under control of a cytomegalovirus promotor. The use of varying amounts of adenoviral vector allows for determination of dose-responsive effects and the comparison of multiple mutants of a protein. In addition, there are substantial savings with respect to time and money in comparison to standard transgenic approaches.
- L6 ANSWER 4 OF 17 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN AU Gonzalez, P. [Reprint Author]; Liton, P. B. [Reprint Author]; Caballero, M. [Reprint Author]; Stamer, D. W.; Liu, X. [Reprint Author]; Bodman, M. G. [Reprint Author]; Epstein, D. L. [Reprint Author]
- TI SEARCH FOR PROMOTERS TO TARGET GENE EXPRESSION IN SELECTED CELLS OF THE OUTFLOW PATHWAY.
- 50 ARVO Annual Meeting Abstract Search and Program Planner, (2003) Vol. 2003, pp. Abstract No. 1141. cd rom. Meeting Info: Annual Meeting of the Association for Research in Vision and Ophthalmology. Port Lauderdale, FL, USA. May 04-08, 2003. Association for Research in Vision and Ophthalmology.
- AB Purpose: The purpose of this study is to identify promoters capable of targeting gene expression in different cell types of the outflow pathway. Methods: Perfused anterior segments of human cadaver eyes were infected with 107 plaque-forming units of replication-

deficient recombinant adenoviruses expressing the

beta-galactosidase reporter gene driven by either the CMV, the VE-Cadherin, or the Matrix GLA promoter, 48 Hours after infection the anterior segments were fixed by perfusion with 1% paraformaldehyde, 0.2% glutaraldehyde, 0.02 % NP40, 0.01 % Na DOC, at 15 mmHg, and stained for beta-galactosidase activity. Paraffin sections of the tissue were analyzed for beta-galactosidase expression. Results: The matrix GLA promoter targets gene expression much more specifically in the TM than the CMV promoter. Expression of this promoter is particularly high in the juxtacanalicular area. The VE-cadherin promoter showed high levels of expression in the aqueous venous plexi and episcleral veins, but did not show any expression in either TM or SC cells. Conclusions: The matrix GLA gene promoter targets HTM cells more specifically than the CMV promoter, while providing high levels of expression. The expression of the VE-cadherin promoter in the aqueous venous plexi and episcleral veins indicates that, at least some viral particles can pass through the HTM and across Schlemm's canal endothelium, and reach the blood stream. Promoters from genes expressed in the cells of the outflow pathway might provide the means for a more specific targeting of gene expression in outflow pathway

cells.

L6

- ANSWER 5 OF 17 MEDLINE on STN
 - EDLINE on STN DUPLICATE 2
- AU Vollrath D; Feng W; Duncan J L; Yasumura D; D'Cruz P M; Chappelow A; Matthes M T; Kav M A; LaVail M M
- TI Correction of the retinal dystrophy phenotype of the RCS rat by viral gene transfer of Mertk.
- SO PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA, (2001 Oct 23) 98 (22) 12584-9.

 JOURNAL COde: 7505876. ISSN: 0027-8424.
- AB The Royal College of Surgeons (RCS) rat is a widely studied animal model of retinal degeneration in which the inability of the retinal pigment epithelium (RPE) to phagocytize shed photoreceptor outer segments leads to a progressive loss of rod and cone photoreceptors. We recently used positional cloning to demonstrate that the gene Mertk likely corresponds to the retinal dystrophy (rdy) locus of the RCS rat. In the present study, we sought to determine whether gene transfer of Mertk to a RCS rat retina would result in correction of the RPE phagocytosis defect and preservation of photoreceptors. We used subretinal injection of a recombinant replication-deficient adenovirus encoding rat Mertk to deliver the gene to the eyes of young RCS rats. Electrophysiological assessment of animals 30 days after injection revealed an increased sensitivity of treated eyes to low-intensity light. Histologic and ultrastructural assessment demonstrated substantial sparing of photoreceptors, preservation of outer segment structure, and correction of the RPE phagocytosis defect in areas surrounding the injection site. Our results provide definitive evidence that mutation of Mertk underlies the RCS retinal dystrophy phenotype, and that the phenotype can be corrected by treatment of juvenile animals. To our knowledge, this is the first demonstration of complementation of both a functional cellular defect (phagocytosis) and a photoreceptor degeneration by gene transfer to the RPE. These results, together with the recent discovery of MERTK mutations in individuals with retinitis pigmentosa, emphasize the importance of the RCS rat as a model for gene therapy of diseases that arise from RPE dysfunction.
- L6 ANSWER 6 OF 17 MEDLINE on STN

DUPLICATE 3

- AU Kee C; Sohn S; Hwang J M
- TI Stromelysin gene transfer into cultured human trabecular cells and rat trabecular meshwork in vivo.
- SO INVESTIGATIVE OPHTHALMOLOGY AND VISUAL SCIENCE, (2001 Nov) 42 (12) 2856-60.
 - Journal code: 7703701. ISSN: 0146-0404.
- PURPOSE: To determine whether stromelysin gene can be introduced into and ΔR expressed in the cultured human trabecular cells as well as in the rat eye in vivo through means of a recombinant replicationdeficient adenovirus. METHODS: Stromelysin cDNA was obtained by reverse transcription-polymerase chain reaction with mRNA extracted from the cultured human trabecular cells after induction with interleukin 1alpha. Adenovirus vector that contains stromelysin cDNA was constructed by cotransfection of pJM17 and pDeltaA.CMV-str into the 293 cells. The expression of stromelysin in the cultured human trabecular cells was assayed by Western blot and zymography. The expression of stromelysin in the trabecular meshwork of the rat eyes was detected by in situ hybridization and immunohistochemistry. RESULTS: The constructed adenovirus vector contained stromelysin cDNA, but no E1 region. Western blot and zymogram revealed that the stromelysin could be expressed and that it possessed enzymatic activity in cultured human trabecular cells. In situ hybridization and immunostaining of the stromelysin showed that the complete form of stromelysin was expressed in the trabecular meshwork, the iris, and the uveoscleral outflow pathway of the rat eye. CONCLUSIONS: Stromelysin, a functional gene, can be transferred in vivo into rat eyes and in vitro into cultured human trabecular cells using a

replication-deficient adenovirus vector. This shows the possibility of

gene therapy in glaucoma.

AB

- L₆ ANSWER 7 OF 17 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- Klebe S; Sykes P J; Coster D J; Krishnan R; Williams K A (Reprint) AU
- TT Prolongation of sheep corneal allograft survival by ex vivo transfer of the gene encoding interleukin-10
- TRANSPLANTATION, (15 MAY 2001) Vol. 71, No. 9, pp. 1214-1220. so Publisher: LIPPINCOTT WILLIAMS & WILKINS, 530 WALNUT ST, PHILADELPHIA, PA 19106-3621 USA. ISSN: 0041-1337.

Background Modification of a donor cornea by gene therapy ex vivo has potential to modulate irreversible rejection, the major cause of corneal graft failure. Our aim was to transfer the gene encoding mammalian IL-10 to ovine donor corneas and to determine subsequent, orthotopic corneal allograft survival in an outbred sheep model.

Methods. The replicative capacity of ovine corneal endothelium was determined by autoradiography after deliberate injury. A replication defective adenovirus was used to deliver the lacZ reporter gene to ovine corneas and transfected corneas were organ-cultured in vitro to allow transfection efficiency, duration of reporter gene expression, and toxicity attributable to the vector to be determined. A cDNA encoding full-length ovine IL-10 was cloned into an adenoviral vector that was used to transfect donor corneas ex vivo before transplantation, Orthotopic penetrating corneal transplantation was

performed in outbred sheep. Results. Sheep corneal endothelium was found to be essentially amitotic, Transfection of > 70% corneal endothelial cells was achieved with the viral vector and expression was maintained for 28 days in vitro. IL-10 mRNA was detectable in transfected, organ-cultured corneas for 21 days in vitro. Donor corneas transfected with cDNA encoding IL-10 showed significantly prolonged survival after penetrating keratoplasty (median 55 days, range 19 greater than or equal to 300 days) compared with control corneas (median 20.5 days, range 18-32 days, P=0.011).

Conclusion. Local gene therapy mediated expression of the immunomodulatory cytokine IL-10 has the potential to reduce the incidence of corneal graft rejection and to prolong corneal allograft survival.

- ANSWER 8 OF 17 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN L6
- AU Glatzel W: Flechsig E: Navarro B: Klein M A: Paterna J C: Bueler H: Aguzzi A (Reprint)
- TT Adenoviral and adeno-associated viral transfer of genes to the peripheral nervous system
- PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF SO AMERICA, (4 JAN 2000) Vol. 97, No. 1, pp. 442-447. Publisher: NATL ACAD SCIENCES, 2101 CONSTITUTION AVE NW, WASHINGTON, DC 20418.

AB

ISSN: 0027-8424. Targeted expression of foreign genes to the peripheral nervous system is interesting for many applications, including gene therapy of neuromuscular diseases, neuroanatomical studies, and elucidation of mechanisms of axonal flow. Here we describe a microneurosurgical technique for injection of replication-defective viral Vectors into dorsal root ganglia (DRG). Adenovirus- and adenoassociated virus-based vectors with transcriptional competence for DRG neurons led to expression of the gene of interest throughout the first neuron of the sensory system, from the distal portions of the respective sensory nerve to the ipsilateral nucleus gracilis and cuneatus, which contains the synapses to the spinothalamic tracts. Use of Rag-1 ablated mice, which lack all B and T lymphocytes, allowed for sustained expression for periods exceeding 100 days. In immunocompetent mice, long-term (52 days) expression was achieved with similar efficiency by using adeno-associated viral vectors. DRG injection was vastly superior to intraneural injection into the sciatic nerve, which mainly transduced Schwann cells in the Vicinity of the site of inoculation site but only inefficiently transduced nerve fibers, whereas i.m. injection did not lead to any significant expression of the reporter gene in nerve fibers. The versatile and efficient transduction of genes of interest should enable a wide variety of functional studies of peripheral nervous system pathophysiology.

OBJECTIVE: To determine if adenoviral-mediated transfer of the gene for

L6 ANSWER 9 OF 17 MEDLINE on STN

DUPLICATE 4

AU Guy J: Oi X: Wang H: Hauswirth W W

ΔR

- TI Adenoviral gene therapy with catalase suppresses experimental optic neuritis.
- SO ARCHIVES OF OPHTHALMOLOGY, (1999 Nov) 117 (11) 1533-9.
- Journal code: 7706534. ISSN: 0003-9950.
- catalase (CAT), the reactive oxygen species scavenger, suppresses experimental optic neuritis. CLINICAL RELEVANCE: Gene therapy with CAT delivered by an adeno-associated viral vector was previously shown to suppress experimental optic neuritis. Because the transduction of protein expression with recombinant adeno-associated viral vector is relatively slow, taking weeks to reach full levels, we studied the effects of replication-deficient adenovirus containing CAT in suppressing experimental optic neuritis. Transduction with adenovirus occurs within days of inoculation, thus, it may be more applicable for the treatment of patients with acute optic neuritis. MATERIALS AND METHODS: Replication-deficient adenovirus containing CAT was injected above the right optic nerve heads of SJL/J mice that were simultaneously sensitized for experimental allergic encephalomyelitis. For controls, the left eyes were injected with the replicationdeficient adenovirus without CAT or no virus. The histological effects of CAT on the lesions of experimental allergic encephalomyelitis were measured by computerized analysis of the myelin sheath area (for demyelination), optic disc area (for optic nerve head swelling), the extent of the cellular infiltrate, extravasated serum albumin labeled with immunogold (for disruption of the blood-brain barrier), and the in vivo hydrogen peroxide reaction product. RESULTS: After 1 month, cell-specific catalase activity, evaluated by the quantitation of catalase immunogold, was increased about 2-fold each in endothelia, oligodendroglia, astrocytes, and axons of the CAT-inoculated right optic nerves compared with the control left optic nerves. The increased cellular levels of catalase reduced demyelination by 30%, optic nerve head swelling by 25%, cellular infiltration by 26%, disruption of
- demyelination and blood-brain barrier disruption at the foci in the optic nerve where prior magnetic resonance imaging and histopathologic studies have demonstrated the demyelinating inflammation of experimental and human optic neuritis. Together, they suggest that gene therapy with CAT may be helpful in the treatment of patients with optic neuritis.

the blood-brain barrier by 61%, and in vivo levels of hydrogen peroxide by 81%. CONCLUSIONS: Adenoviral-mediated gene transfer increased catalase levels in all optic nerve cell types, and it persisted for 1 month after inoculation. The increased cellular levels of catalase suppressed

- L6 ANSWER 10 OF 17 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN AU Skinner L L (Reprint): Borras T: Epstein D L
- AU Skinner L L (Reprint); Borras T; Epstein D L
 TI Effect of replication deficient adenovirus
- TI Effect of replication deficient adenovirus vectors on outflow facility of excised pig eyes
- SO INVESTIGATIVE OPHTHALMOLOGY & VISUAL SCIENCE, (15 MAR 1997) Vol. 38, No. 4, Part 1, pp. 2630-2630.
 - Publisher: LIPPINCOTT-RAVEN PUBL, 227 EAST WASHINGTON SQ, PHILADELPHIA, PA 19106. ISSN: 0146-0404.
- L6 ANSWER 11 OF 17 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- AU Skinner, L. L.; Borras, T.; Epstein, D. L.
- TI Effect of replication deficient adenovirus vectors on outflow facility of excised pig eyes.
- SO Investigative Ophthalmology and Visual Science, (1997) Vol. 38, No. 4 PART

1-2, pp. S565.

Meeting Info.: Annual Meeting of the Association for Research in Vision and Ophthalmology, Parts 1-2. Fort Lauderdale, Florida, USA. May 11-16, 1997.

CODEN: IOVSDA, ISSN: 0146-0404.

- L6 ANSWER 12 OF 17 CAPLUS COPYRIGHT 2003 ACS on STN
- IN Barkats, Martine; Mallet, Jacques; Revah, Frederic
- TI Recombinant defective adenoviruses containing glutathione peroxidase DNA and their use disease treatment
- SO PCT Int. Appl., 22 pp.

CODEN: PIXXD2

- AB The present invention relates to a defective recombinant adenovirus comprising at least a DNA sequence coding for all or an active part of glutathione peroxidase or a deriv. thereof. It also relates to their utilization in therapy and to the corresponding pharmaceutical compns. Recombinant defective adenovirus Ad-bGPx, contg., inserted into the El gene, the bovine glutathione peroxidase cDNA controlled by the Rous sarcoma virus LTR, was constructed. 293 Cells infected with this recombinant virus displayed glutathione peroxidase activity.
- L6 ANSWER 13 OF 17 CAPLUS COPYRIGHT 2003 ACS on STN
- IN Barkats, Martine; Mallet, Jacques; Perricaudet, Michel; Revah, Frederic
- TI Defective recombinant adenovirus vectors containing a superoxide dismutase gene and use of the vectors for treatment of neurodegenerative diseases SO PCT Int. Appl. . 25 pp.
- CODEN: PIXXD2
- AB A defective recombinant adenovirus including at least one DNA sequence coding for all or an active part of a superoxide dismutase or a deriv. thereof. The therapeutic use thereof and corresponding pharmaceutical compns. are also disclosed. Adenovirus Ad-hSODI, a recombinant defective adenovirus contg. the human SODI superoxide dismutase cDNA, was prepd. by homologous recombination of adenovirus Ad-d11324 and plasmid pLTRIX-hSODI in cell line 293. The SODI cDNA is fused to the Rous sarcoma virus LTR. Ad-d11324 has a inactivated El region.
- L6 ANSWER 14 OF 17 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- AU QI X (Reprint); GUY J; DESHMANE S L; CRYSTAL R G
- TI IN-VIVO TRANSFER OF THE HUMAN CATALASE GENE TO THE GUINEA-PIG EYE
 MEDIATED BY A REPLICATION-DEFICIENT ADENOVIRAL
 VECTOR
- SO INVESTIGATIVE OPHTHALMOLOGY & VISUAL SCIENCE, (15 FEB 1996) Vol. 37, No. 3, pp. 2969.
 ISSN: 0146-0404.
- L6 ANSWER 15 OF 17 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- AU Qi, X. [Reprint author]; Guy, J. [Reprint author]; Deshmane, S. L.; Crystal, R. G.
- TI In vivo transfer of the human catalase gene to the guinea pig eye mediated by a replication-deficient adenoviral vector.
- SO Investigative Ophthalmology and Visual Science, (1996) Vol. 37, No. 3, pp. 5640.
 - Meeting Info.: 1996 Annual Meeting of the Association for Research in Vision and Ophthalmology. Fort Lauderdale, Florida, USA. April 21-26, 1996.

CODEN: IOVSDA. ISSN: 0146-0404.

- L6 ANSWER 16 OF 17 CAPLUS COPYRIGHT 2003 ACS on STN
- IN Abitbol, Marc; Mallet, Jacques; Perricaudet, Michel; Revah, Frederic; Roustan, Paul; Vigne, Emmanuelle
- TI Recombinant defective adenoviruses encoding basic fibroblast growth factors and their use in treatment of neurodegenerative diseases
- SO PCT Int. Appl., 27 pp.

CODEN: PIXXD2

- Recombinant defective adenoviruses comprising a heterologous DNA sequence AB coding for basic fibroblast growth factor (bFGF), prepn. thereof, and use thereof for treating and/or preventing degenerative neurol. diseases are claimed. Plasmid pLTR IX-hbFGF, contg. cDNA for human basic fibroblast growth factor fused to the LTR of Rous sarcoma virus, was prepd. and used to produce recombinant adenovirus by in vivo homologous recombination with defective adenovirus.
- L6 ANSWER 17 OF 17 CAPLUS COPYRIGHT 2003 ACS on STN
- IN Briand, Pascale: Perricaudet, Michel
- TΙ Defective adenoviruses for use in the gene therapy of
- eye diseases
- so PCT Int. Appl., 20 pp.
- CODEN: PIXXD2
- AB Defective adenoviruses contg. a foreign gene are described for use in the treatment of eye disease. The adenovirus AdRSV.beta.Gal, an adenovirus 5 carrying a .beta.-galactosidase gene under control of a Rous sarcoma virus promoter was constructed and 107-108 pfu injected into the anterior chambers, vitreous humor, or retrobulbar space of the eyes of C57B1/6 mice. .beta.-Galactosidase activity was found to be widely disseminated in all of the tissues injected.

```
=> d bib 16 17 16
```

```
1.6
    ANSWER 16 OF 17 CAPLUS COPYRIGHT 2003 ACS on STN
```

- AN 1995:969572 CAPLUS
- 124:2557 DN
- TT Recombinant defective adenoviruses encoding basic fibroblast growth
- factors and their use in treatment of neurodegenerative diseases IN Abitbol, Marc; Mallet, Jacques; Perricaudet, Michel; Revah, Frederic; Roustan, Paul; Vigne, Emmanuelle
- PA Rhone-Poulenc Rorer S.A., Fr.
- PCT Int. Appl., 27 pp.
- CODEN: PIXXD2

- DT Patent French
- LA FAN.CNT 1

	PA?	CENT :	NO.		KIND DATE			APPLICATION NO					Э.	DATE							
PI	WO	NO 9526409			A1 1995100		1005		W	0 19	95 - FI	R374		19950324							
		W:	AM,	AU,	BB,	BG,	BR,	BY,	CA,	CN,	CZ,	EE,	FI,	GE,	HU,	IS,	JP,	KG,			
			KP,	KR,	KZ,	LK,	LR,	LT,	LV,	MD,	MG,	MN,	MX,	NO,	NZ,	PL,	RO,	RU,			
			SG,	SI,	SK,	TJ,	TT,	UA,	UG,	US,	UZ,	VN									
		RW:	KE,	MW,	SD,	SZ,	UG,	AT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	IE,	IT,			
			LU,	MC,	NL,	PT,	SE,	BF,	ВJ,	CF,	CG,	CI,	CM,	GA,	GN,	ML,	MR,	NE,			
			SN,	TD,	TG																
	FR	2718150 2718150			A1 B1		1995	1006		FR 1994-3682						19940329					
	FR						19960426														
	CA	A 2184755			AA		19951005			CA 1995-2184755					19950324						

Al 19951017 AU 9521425 AU 1995-21425 19950324 EP 753067 A1 19970115 EP 1995-914419 19950324 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, NL, PT, SE JP 09510621 T2 19971028 JP 1995-525005 19950324

ZA 1995-2563

19950329

- PRAI FR 1994-3682 19940329 WO 1995-FR374 19950324
- 1.6 ANSWER 17 OF 17 CAPLUS COPYRIGHT 2003 ACS on STN

19951221

Α

AN 1995:274955 CAPLUS

ZA 9502563

- DN 122:48488
- TI Defective adenoviruses for use in the gene therapy of

IN Briand, Pascale; Perricaudet, Michel

Rhone-Poulenc Rorer S.A., Fr.; Institut National de la Sante et de la PA Recherche Medicale (INSERM)

PCT Int. Appl., 20 pp. so

CODEN: PIXXD2 Patent DT

LA French FAN.CNT 1 PATENT NO. KIND DATE APPLICATION NO. DATE WO 9420146 A1 19940915 PΤ WO 1994-FR220 19940228 W: AU, CA, FI, HU, JP, NO, NZ, US RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE FR 2702152 Al 19940909 FR 1993-2438 19930303 FR 2702152 B1 19950524 AU 9461444 A1 19940926 AU 1994-61444 19940228 AU 693782 B2 19980709 EP 687184 A1 19951220 EP 1994-908383 19940228 EP 687184 B1 20020724 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LI, LU, NL, PT, SE HU 73215 A2 19960628 HU 1995-2573 19940228 HU 218900 В 20001228 T2 JP 08509208 19961001 JP 1994-519650 19940228 20001222 NZ 262135 A NZ 1994-262135 19940228 AT 220923 E 20020815 AT 1994-908383 19940228 ES 2181710 T3 20030301 ES 1994-908383 19940228 ZA 9401426 NO 9503329 19941004 A ZA 1994-1426 19940301 A 19950824 NO 1995-3329 19950824 A1 20020530 US 2002064870 US 1998-87156 19980528 US 2002068052 A1 20020606 US 2001-986797 20011113 US 2003086907 A1 20030508 US 2002-323876 20021220 PRAI FR 1993-2438 A 19930303 WO 1994-FR220 W 19940228 US 1995-513998 A1 19951027 US 1998-87156 A1 19980528 US 2001-986797 A1 20011113

(FILE 'HOME' ENTERED AT 11:04:20 ON 31 DEC 2003)

FILE 'MEDLINE, CAPLUS, BIOSIS, SCISEARCH' ENTERED AT 11:04:40 ON 31 DEC

L1 96444 S ADENOVIRUS OR ADENOVIRAL (W) VECTOR

16306 S (DEFECTIVE OR REPLICAT? (3A) DEFICIEN?) (7A) ADENOVIRUS OR ADENOV 1.2 5547 S (DEFECTIVE OR REPLICAT? (3A) DEFICIEN?) (7A) (ADENOVIRUS OR ADENO L3 964643 S EYE OR CORNEAL (W) ENDOTHELIUM OR PHOTORECEPTOR OR BIPOLAR OR G L4

L5 28 S L3 (9A) L4

L6 17 DUP REM L5 (11 DUPLICATES REMOVED)

L7 199 S L3 AND L4

T.8 67 S L3(S)L4 46 DUP REM L8 (21 DUPLICATES REMOVED) L9

=> d au ti so 1-46 19

- ANSWER 1 OF 46 CAPLUS COPYRIGHT 2003 ACS on STN Ĺ9
- Liu, Lee-Cheng; Newton, Perry; Lai, Shoupeng; Morris, Stephen; Atwell, IN Chad; Hill, Christon; Fitzpatrick, Megan; Cardak, Sami; Lizonova, Alena; Qin, Lu; Carrion, Miguel E.; Harris, Brenk K.
- Replication-deficient viral vector production methods and compositions ΤI
- using complementary animal packaging cells

SO PCT Int. Appl., 168 pp. CODEN: PIXXD2

- ANSWER 2 OF 46 CAPLUS COPYRIGHT 2003 ACS on STN L9
- IN Campochiaro, Peter A.

50

- ΤI Selective induction of apoptosis to treat ocular disease
- SO U.S. Pat. Appl. Publ., 20 pp. CODEN: USXXCO

L9

DUPLICATE 1 ANSWER 3 OF 46 MEDLINE on STN

- Marmorstein Alan D; Peachey Neal S; Csaky Karl G AU In vivo gene transfer as a means to study the physiology and morphogenesis TI of the retinal pigment epithelium in the rat.
- Methods (San Diego, Calif.), (2003 Jul) 30 (3) 277-85. SO Journal code: 9426302, ISSN: 1046-2023,
- ANSWER 4 OF 46 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN L9 Gonzalez, P. [Reprint Author]; Liton, P. B. [Reprint Author]; Caballero, AU M. [Reprint Author]; Stamer, D. W.; Liu, X. [Reprint Author]; Bodman, M. G. [Reprint Author]; Epstein, D. L. [Reprint Author]
- SEARCH FOR PROMOTERS TO TARGET GENE EXPRESSION IN SELECTED CELLS OF THE Τİ OUTFLOW PATHWAY.
 - ARVO Annual Meeting Abstract Search and Program Planner, (2003) Vol. 2003, pp. Abstract No. 1141. cd-rom. Meeting Info.: Annual Meeting of the Association for Research in Vision and Ophthalmology. Fort Lauderdale, FL, USA. May 04-08, 2003. Association for Research in Vision and Ophthalmology.
- ANSWER 5 OF 46 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN L9 Brough, D. E. [Reprint Author]; McVey, D. L. [Reprint Author]; Wei, L. L.; ΑU
- Hsu, C. [Reprint Author]; King, C.
- ADENOVIRAL VECTOR GENOME EVALUATION AFTER INTRAVITREAL ADMINISTRATION. TΙ ARVO Annual Meeting Abstract Search and Program Planner, (2003) Vol. 2003, so
 - pp. Abstract No. 449. cd-rom. Meeting Info.: Annual Meeting of the Association for Research in Vision and Ophthalmology. Fort Lauderdale, FL, USA. May 04-08, 2003. Association for Research in Vision and Ophthalmology.
- ANSWER 6 OF 46 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN L9
- Shaw, Phillip Herbert [Inventor, Reprint author]; Sahli, Roland AU

- [Inventor]; Sickenberg, Michel [Inventor]; Munier, Francis [Inventor]
- TI Somatic gene therapy to suppress secondary cataract formation following eve surgery.
- SO Official Gazette of the United States Patent and Trademark Office Patents, (Mar. 13, 2001) Vol. 1244, No. 2. e-file. CODEN: OGUPE7. ISSN: 0098-1133.
- L9 ANSWER 7 OF 46 MEDLINE on STN DUPLICATE 2
- AU Vollrath D; Feng W; Duncan J L; Yasumura D; D'Cruz P M; Chappelow A; Matthes M T; Kay M A; LaVail M M
- TI Correction of the retinal dystrophy phenotype of the RCS rat by viral gene transfer of Mertk.
- SO PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA, (2001 Oct 23) 98 (22) 12584-9.
 Journal Code: 7505876. ISSN: 0027-8424.
- L9 ANSWER 8 OF 46 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- AU Halford W P; Kemp C D; Isler J A; Davido D J; Schaffer P A (Reprint)
- TI ICPO, ICP4, or VP16 expressed from adenovirus vectors induces reactivation of latent herpes simplex virus type 1 in primary cultures of latently infected trigeminal ganglion cells
- SO JOURNAL OF VĪROLOGY, (JŪL 2001) Vol. 75, No. 13, pp. 6143-6153. Publisher: AMER SOC MICROBIOLOGY, 1752 N ST NW, WASHINGTON, DC 20036-2904 USA. ISSN: 0022-538X.

DUPLICATE 3

- L9 ANSWER 9 OF 46 MEDLINE on STN
- AU Kee C; Sohn S; Hwang J M
- TI Stromelysin gene transfer into cultured human trabecular cells and rat trabecular meshwork in vivo.
- SO INVESTIGATIVE OPHTHALMOLOGY AND VISUAL SCIENCE, (2001 Nov) 42 (12) 2856-60.
- Journal code: 7703701. ISSN: 0146-0404.
- L9 ANSWER 10 OF 46 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- AU Klebe S: Sykes P J: Coster D J: Krishnan R: Williams K A (Reprint)
- TI Prolongation of sheep corneal allograft survival by ex vivo transfer of the gene encoding interleukin-10
- SO TRANSPLANTATION, (15 MAY 2001) Vol. 71, No. 9, pp. 1214-1220.
 - Publisher: LIPPINCOTT WILLIAMS & WILKINS, 530 WALNUT ST, PHILADELPHIA, PA 19106-3621 USA. ISSN: 0041-1337.
- L9 ANSWER 11 OF 46 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- AU Lambert V (Reprint); Munaut C; Noel A; Frankenne F; Bajou K; Gerard R; Carmeliet P; Defresne M P; Foidart J M; Rakic J M
- TI Influence of plasminogen activator inhibitor type 1 on choroidal neovascularization
- SO FASEB JOURNAL, (APR 2001) Vol. 15, No. 6, pp. 1021-1027.
- Publisher: FEDERATION AMER SOC EXP BIOL, 9650 ROCKVILLE PIKE, BETHESDA, MD 20814-3998 USA.
- ISSN: 0892-6638.
- L9 ANSWER 12 OF 46 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- AU Suber M L; Hurwitz M Y; Chevez-Barrios P; Hurwitz R L (Reprint)
- TI Immune consequences of intraocular administration of modified adenoviral
- SO HUMAN GENE THERAPY, (MAY 2001) Vol. 12, No. 7, pp. 833-838.
- Publisher: MARY ANN LIEBERT INC PUBL, 2 MADISON AVENUE, LARCHMONT, NY 10538 USA.
 ISSN: 1043-0342.
 - _____
- L9 ANSWER 13 OF 46 MEDLINE on STN DUPLICATE 4
- AU Andrawiss M; Maron A; Beltran W; Opolon P; Connault E; Griscelli F; Yeh P;

- Perricaudet M; Devauchelle P
- TI Adenovirus-mediated gene transfer in canine eyes: a preclinical study for gene therapy of human uveal melanoma.
- SO JOURNAL OF GENE MEDICINE, (2001 May-Jun) 3 (3) 228-39. Journal code: 9815764. ISSN: 1099-498X.
- L9 ANSWER 14 OF 46 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- AU Rubinchik S; Ding R; Qiu A J; Zhang F; Dong J (Reprint)
- TI Adenoviral vector which delivers FasL-GFP fusion protein regulated by the tet-inducible expression system
- SO GENE THERAPY, (MAY 2000) Vol. 7, No. 10, pp. 875-885.

 Publisher: STOCKTON PRESS, HOUNDMILLS, BASINGSTOKE RG21 6XS, HAMPSHIRE,
 ENGLAND.

 ISSN: 0969-7128.
- L9 ANSWER 15 OF 46 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- AU Glatzel W; Flechsig E; Navarro B; Klein M A; Paterna J C; Bueler H; Aguzzi A (Reprint)
- TI Adenoviral and adeno-associated viral transfer of genes to the peripheral nervous system
- SO PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES OF AMERICA, (4 JAN 2000) Vol. 97, No. 1, pp. 442-447. Publisher: NATL ACAD SCIENCES, 2101 CONSTITUTION AVE NW, WASHINGTON, DC 20418.

 ISSN: 0027-8424.
- L9 ANSWER 16 OF 46 MEDLINE on STN DUPLICATE 5
- AU Guy J; Qi X; Wang H; Hauswirth W W
- TI Adenoviral gene therapy with catalase suppresses experimental optic neuritis.
- SO ARCHIVES OF OPHTHALMOLOGY, (1999 Nov) 117 (11) 1533-9. Journal code: 7706534. ISSN: 0003-9950.
- L9 ANSWER 17 OF 46 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- AU Borras T (Reprint); Rowlette L L; Erzurum S C; Epstein D L
- TI Adenoviral reporter gene transfer to the human trabecular meshwork does not alter aqueous humor outflow. Relevance for potential gene therapy of glaucoma
- SO GENE THERAPY, (APR 1999) Vol. 6, No. 4, pp. 515-524.

 Publisher: STOCKTON PRESS, HOUNDMILLS, BASINGSTOKE RG21 6XS, HAMPSHIRE,
 ENGLAND.
 ISSN: 0969-7128.
- L9 ANSWER 18 OF 46 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- AU Akimoto M; Miyatake S I (Reprint); Kogishi J I; Hangai M; Okazaki K; Takahashi J C; Saiki M; Iwaki M; Honda Y
- TI Adenovirally expressed basic fibroblast growth factor rescues
 - photoreceptor cells in RCS rats
- SO INVESTIGATIVE OPHTHALMOLOGY & VISUAL SCIENCE, (FEB 1999) Vol. 40, No. 2, pp. 273-279.
 - Publisher: ASSOC RESEARCH VISION OPHTHALMOLOGY INC, 9650 ROCKVILLE PIKE, BETHESDA, MD 20814-3998.
 ISSN: 0146-0404.
- L9 ANSWER 19 OF 46 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- AU Komeda M; Roessler B J; Raphael Y (Reprint)
- TI The influence of interleukin-1 receptor antagonist transgene on spiral ganglion neurons
- SO HEARTING RESEARCH, (MAY 1999) Vol. 131, No. 1-2, pp. 1-10. Publisher: BLSEVIER SCIENCE BV, PO BOX 211, 1000 AE AMSTERDAM, NETHERLANDS. ISSN: 0378-5955.
- L9 ANSWER 20 OF 46 CAPLUS COPYRIGHT 2003 ACS on STN

- Shaw, Phillip Herbert; Sahli, Roland; Sickenberg, Michel; Munier, Francis TN
- Somatic gene therapy to suppress secondary cataract formation utilizing ТΤ replication-defective adenovirus vectors to express proteins involved in cell cycle or signal transduction or DNA replication to inhibit cell proliferation
- PCT Int. Appl., 65 pp. SO CODEN: PIXXD2
- ANSWER 21 OF 46 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN L9
- Borras T (Reprint); Matsumoto Y; Epstein D L; Johnson D H ΑU
- Gene transfer to the human trabecular meshwork by anterior segment TT perfusion
- INVESTIGATIVE OPHTHALMOLOGY & VISUAL SCIENCE, (JUL 1998) Vol. 39, No. 8, so pp. 1503-1507.
 - Publisher: LIPPINCOTT-RAVEN PUBL, 227 EAST WASHINGTON SQ, PHILADELPHIA, PA 19106. ISSN: 0146-0404.
- MEDLINE on STN DUPLICATE 6 1.9 ANSWER 22 OF 46
- Bennett J; Zeng Y; Bajwa R; Klatt L; Li Y; Maguire A M AU ΤI Adenovirus-mediated delivery of rhodopsin-promoted bcl-2 results in a
- delay in photoreceptor cell death in the rd/rd mouse.
- SO GENE THERAPY, (1998 Sep) 5 (9) 1156-64. Journal code: 9421525. ISSN: 0969-7128.
- L9 ANSWER 23 OF 46 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- Tsubota K (Reprint); Inoue H; Ando K; Ono M; Yoshino K; Saito I AU
- Adenovirus-mediated gene transfer to the ocular surface epithelium TΙ
- EXPERIMENTAL EYE RESEARCH, (NOV 1998) Vol. 67, No. 5, pp. 531-538. so Publisher: ACADEMIC PRESS LTD, 24-28 OVAL RD, LONDON NW1 7DX, ENGLAND. ISSN: 0014-4835.
- ANSWER 24 OF 46 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN L9
- Ghadge G D: Lee J P: Bindokas V P: Jordan J; Ma L; Miller R J; Roos R P ΑU (Reprint)
- Mutant superoxide dismutase-1-linked familial amyotrophic lateral TI sclerosis: Molecular mechanisms of neuronal death and protection
- JOURNAL OF NEUROSCIENCE, (15 NOV 1997) Vol. 17, No. 22, pp. 8756-8766. SO Publisher: SOC NEUROSCIENCE, 11 DUPONT CIRCLE, NW, STE 500, WASHINGTON, DC 20036.
- ISSN: 0270-6474.
- ANSWER 25 OF 46 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN L9
- Ma D: Gerard R D: Li X Y: Alizadeh H: Niederkorn J Y (Reprint) ΑU
- Inhibition of metastasis of intraocular melanomas by adenovirus-mediated TI gene transfer of plasminogen activator inhibitor type I (PAI-1) in an athymic mouse model
- SO BLOOD, (1 OCT 1997) Vol. 90, No. 7, pp. 2738-2746. Publisher: W B SAUNDERS CO, INDEPENDENCE SQUARE WEST CURTIS CENTER, STE 300, PHILADELPHIA, PA 19106-3399. ISSN: 0006-4971.
- ANSWER 26 OF 46 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN L9
- Skinner L L (Reprint); Borras T; Epstein D L AU
- Effect of replication deficient adenovirus TI
- vectors on outflow facility of excised pig eyes
- INVESTIGATIVE OPHTHALMOLOGY & VISUAL SCIENCE, (15 MAR 1997) Vol. 38, No. SO 4, Part 1, pp. 2630-2630. Publisher: LIPPINCOTT-RAVEN PUBL, 227 EAST WASHINGTON SQ, PHILADELPHIA, PA 19106.

ISSN: 0146-0404.

- ANSWER 27 OF 46 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN L9
- Weiss M A; Frisancho J C; Roessler B J; Raphael Y (Reprint) ΑU

- Viral-mediated gene transfer in the cochlea тT
- INTERNATIONAL JOURNAL OF DEVELOPMENTAL NEUROSCIENCE, (JUL 1997) Vol. 15, SO No. 4-5, pp. 577-583.

Publisher: PERGAMON-ELSEVIER SCIENCE LTD, THE BOULEVARD, LANGFORD LANE, KIDLINGTON, OXFORD, ENGLAND OX5 1GB. ISSN: 0736-5748.

- ANSWER 28 OF 46 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- Skinner, L. L.; Borras, T.; Epstein, D. L. AU
- Effect of replication deficient adenovirus TT
- vectors on outflow facility of excised pig eyes.
- Investigative Ophthalmology and Visual Science, (1997) Vol. 38, No. 4 PART SO 1-2, pp. S565.

Meeting Info.: Annual Meeting of the Association for Research in Vision and Ophthalmology, Parts 1-2. Fort Lauderdale, Florida, USA. May 11-16, CODEN: IOVSDA. ISSN: 0146-0404.

- ANSWER 29 OF 46 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN L9
- Abe K (Reprint); Setoquchi Y; Hayashi T; Itoyama Y AU
- In vivo adenovirus-mediated gene transfer and the expression in ischemic TT and reperfused rat brain
- BRAIN RESEARCH, (25 JUL 1997) Vol. 763, No. 2, pp. 191-201. SO Publisher: ELSEVIER SCIENCE BV, PO BOX 211, 1000 AE AMSTERDAM, NETHERLANDS. TSSN: 0006-8993.
- ANSWER 30 OF 46 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN 1.9
- Meyrelles S S; Sharma R V; Whiteis C A; Davidson B L; Chapleau M W AU (Reprint)
- Adenovirus-mediated gene transfer to cultured nodose sensory neurons TΙ
- MOLECULAR BRAIN RESEARCH, (NOV 1997) Vol. 51, No. 1-2, pp. 33-41. so Publisher: ELSEVIER SCIENCE BV, PO BOX 211, 1000 AE AMSTERDAM, NETHERLANDS. ISSN: 0169-328X.
- ANSWER 31 OF 46 CAPLUS COPYRIGHT 2003 ACS on STN L9
- Barkats, Martine; Mallet, Jacques; Revah, Frederic IN
- Recombinant defective adenoviruses containing glutathione peroxidase DNA TI and their use disease treatment
- PCT Int. Appl., 22 pp. SO CODEN: PIXXD2
- ANSWER 32 OF 46 CAPLUS COPYRIGHT 2003 ACS on STN L9
- Barkats, Martine; Mallet, Jacques; Perricaudet, Michel; Revah, Frederic TN
- Defective recombinant adenovirus vectors containing a superoxide dismutase TT
 - gene and use of the vectors for treatment of neurodegenerative diseases PCT Int. Appl., 25 pp.
- SO CODEN: PIXXD2
- ANSWER 33 OF 46 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN L9
- QI X (Reprint); GUY J; DESHMANE S L; CRYSTAL R G ΑU
- IN-VIVO TRANSFER OF THE HUMAN CATALASE GENE TO THE GUINEA-PIG EYE MEDIATED BY A REPLICATION-DEFICIENT ADENOVIRAL
- INVESTIGATIVE OPHTHALMOLOGY & VISUAL SCIENCE, (15 FEB 1996) Vol. 37, No. SO 3, pp. 2969. ISSN: 0146-0404.
- ANSWER 34 OF 46 MEDLINE on STN DUPLICATE 7 T.9
- AU Cavouette M: Gravel C
- Adenovirus-mediated gene transfer to retinal ganglion cells. TI
- INVESTIGATIVE OPHTHALMOLOGY AND VISUAL SCIENCE, (1996 Sep) 37 (10) 2022-8. SO Journal code: 7703701. ISSN: 0146-0404.

- L9 ANSWER 35 OF 46 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- AU BENNETT J (Reprint); TANABE T; SUN D X; ZENG Y; KJELDBYE H; GOURAS P;
- TI PHOTORECEPTOR CELL RESCUE IN RETINAL DEGENERATION (RD) MICE BY IN-VIVO
- SO NATURE MEDICINE, (JUN 1996) Vol. 2, No. 6, pp. 649-654.
- I.9 ANSWER 36 OF 46 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- AU MASHHOUR B (Reprint); COURTOIS Y
- TI GENE-THERAPY IN OCULAR-TISSUES
- SO BULLETIN DE L ACADEMIE NATIONALE DE MEDECINE, (05 MAR 1996) Vol. 180, No. 3, pp. 645-657.
 ISSN: 0001-4079.
- L9 ANSWER 37 OF 46 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- AU Qi, X. [Reprint author]; Guy, J. [Reprint author]; Deshmane, S. L.;
- Crystal, R. G.
 In vivo transfer of the human catalase gene to the guinea pig eye mediated by a replication-deficient adenoviral
- vector.
 So Investigative Ophthalmology and Visual Science, (1996) Vol. 37, No. 3, pp.
 S640.
 - Meeting Info.: 1996 Annual Meeting of the Association for Research in Vision and Ophthalmology. Fort Lauderdale, Florida, USA. April 21-26, 1996.
 CODEN: IOVSDA. ISSN: 0146-0404.
- CODEM: TOVBBA: IBBM: 0110 0101
- L9 ANSWER 38 OF 46 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- AU SMITH G M (Reprint); HALE J; PASNIKOWSKI E M; LINDSAY R M; WONG V; RUDGE J
- TI ASTROCYTES INFECTED WITH REPLICATION-DEFECTIVE ADENOVIRUS CONTAINING A SECRETED FORM OF CNTF OR NT3 SHOW ENHANCED SUPPORT OF NEURONAL POPULATIONS IN-VITRO
- SO EXPERIMENTAL NEUROLOGY, (MAY 1996) Vol. 139, No. 1, pp. 156-166. ISSN: 0014-4886.
- L9 ANSWER 39 OF 46 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- AU RAPHAEL Y (Reprint); FRISANCHO J C; ROESSLER B J
- TI ADENOVIRAL-MEDIATED GENE-TRANSFER INTO GUINEA-PIG COCHLEAR CELLS IN-VIVO
- SO NEUROSCIENCE LETTERS, (29 MAR 1996) Vol. 207, No. 2, pp. 137-141. ISSN: 0304-3940.
- L9 ANSWER 40 OF 46 CAPLUS COPYRIGHT 2003 ACS on STN
- IN Abitbol, Marc; Mallet, Jacques; Perricaudet, Michel; Revah, Frederic; Roustan, Paul: Vione, Emmanuelle
- TI Recombinant defective adenoviruses encoding basic fibroblast growth factors and their use in treatment of neurodegenerative diseases
- SO PCT Int. Appl., 27 pp. CODEN: PIXXD2
- L9 ANSWER 41 OF 46 MEDLINE on STN

- DUPLICATE 8
- AU Budenz D L; Bennett J; Alonso L; Maguire A
- TI In vivo gene transfer into murine corneal endothelial and trabecular meshwork cells.
- SO INVESTIGATIVE OPHTHALMOLOGY AND VISUAL SCIENCE, (1995 Oct) 36 (11) 2211-5.
 Journal code: 7703701. ISSN: 0146-0404.
- L9 ANSWER 42 OF 46 CAPLUS COPYRIGHT 2003 ACS on STN
- IN Briand, Pascale; Perricaudet, Michel
- TI Defective adenoviruses for use in the gene therapy of eye diseases
- SO PCT Int. Appl., 20 pp.

CODEN: PIXXD2

- ANSWER 43 OF 46 CAPLUS COPYRIGHT 2003 ACS on STN L9
- Kahn, Axel; Mallet, Jacques; Perricaudet, Michel; Peschanski, Marc; TN
 - Robert, Jean Jacques: Le Gal la Salle, Gildas
- Adenovirus vectors for the transfer of foreign genes into cells of the TT central nervous system, particularly the brain
- SO PCT Int. Appl., 41 pp.
- CODEN: PIXXD2
- ANSWER 44 OF 46 MEDLINE on STN 1.9
- DUPLICATE 9 Li T; Adamian M; Roof D J; Berson E L; Dryja T P; Roessler B J; Davidson B AU
- TΙ In vivo transfer of a reporter gene to the retina mediated by an
- adenoviral vector. INVESTIGATIVE OPHTHALMOLOGY AND VISUAL SCIENCE, (1994 Apr) 35 (5) 2543-9. so Journal code: 7703701. ISSN: 0146-0404.
- ANSWER 45 OF 46 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN L9
- MASHHOUR B; COUTON D; PERRICAUDET M; BRIAND P (Reprint)
- ΑU IN-VIVO ADENOVIRUS-MEDIATED GENE-TRANSFER INTO OCULAR-TISSUES TI
- GENE THERAPY, (MAR 1994) Vol. 1, No. 2, pp. 122-126. SO ISSN: 0969-7128.
- ANSWER 46 OF 46 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN L9
- JOMARY C; PIPER T A; DICKSON G; COUTURE L A; SMITH A E; NEAL M J; JONES S AU E (Reprint)
- ADENOVIRUS-MEDIATED GENE-TRANSFER TO MURINE RETINAL CELLS IN-VITRO AND TΙ IN-VIVO
- SO FEBS LETTERS, (27 JUN 1994) Vol. 347, No. 2-3, pp. 117-122. ISSN: 0014-5793.

=> d bib 43 19

ANSWER 43 OF 46 CAPLUS COPYRIGHT 2003 ACS on STN 1.9

A

A

- AΝ 1994:402614 CAPLUS
- DN 121:2614
- Adenovirus vectors for the transfer of foreign genes into cells of the TT central nervous system, particularly the brain
- Kahn, Axel; Mallet, Jacques; Perricaudet, Michel; Peschanski, Marc; TN
- Robert, Jean Jacques; Le Gal la Salle, Gildas
- Rhone-Poulenc Rorer S.A., Fr.; Institut National de la Sante et de la PA Recherche Medicale (INSERM)
- SO PCT Int. Appl., 41 pp. CODEN: PIXXD2

NO 9501121

FI 9501404

- DT Patent
- LA English

	FAN.	CNT	1																	
PATENT NO.						KIND DATE					APPLICATION NO.				DATE					
	PI	WO	9408026			A1 19940414				WO 1993-EP2519						19930917				
							HU,													
			RW:	AT,	BE,	CH,	DE,	ΟK,	ES,	FR,	GB,	GR,	IE,	IT,	LU,	MC,	NL,	PT,	SE	
		EP	669987				Al 19950906				EP 1993-920753									
			R:	AT,	BE,	CH,	DE,	DΚ,	ES,	FR,	GB,	GR,	ΙE,	ΙT,	LI,	LU,	NL,	PT,	SE	
		JP				T	T2 19960227 A2 19960628				JP 1993-506643					19930917				
		HU									H	HU 1995-870				1993				
		HU				В	2	001	0328											
		AU				B:	2 1	998	0611		A	J 1993-4		8180		19930917				
		ΑÜ				A:	L 1	994	0426											
		ZA	9307	051		A	1	995	0317		Z	A 19	93-7	051		1993	0923			

19950323

19950324

NO 1995-1121

FI 1995-1404

19950323

19950324

US 6458529 B1 20021001 US 1995-459994 19950602 PRAI EP 1992-402644 A 19920925 US 1993-403868 A1 19930917 WO 1993-EP2519 W 19930917

=>

```
(FILE 'HOME' ENTERED AT 11:04:20 ON 31 DEC 2003)
     FILE 'MEDLINE, CAPLUS, BIOSIS, SCISEARCH' ENTERED AT 11:04:40 ON 31 DEC
     2003
          96444 S ADENOVIRUS OR ADENOVIRAL(W) VECTOR
L1
          16306 S (DEFECTIVE OR REPLICAT? (3A) DEFICIEN?) (7A) ADENOVIRUS OR ADENOV
T.2
           5547 S (DEFECTIVE OR REPLICAT? (3A) DEFICIEN?) (7A) (ADENOVIRUS OR ADENO
T.3
         964643 S EYE OR CORNEAL(W) ENDOTHELIUM OR PHOTORECEPTOR OR BIPOLAR OR G
L4
L5
             28 S L3 (9A) L4
             17 DUP REM L5 (11 DUPLICATES REMOVED)
L6
            199 S L3 AND L4
L7
             67 S L3(S)L4
L8
             46 DUP REM L8 (21 DUPLICATES REMOVED)
L9
L10
            499 S L1 (9A) L4
              0 S L10 AND @PD<=19940228
              0 S L10 AND @PD<19940228
T.13
              0 S L10 AND @PD<02281994
              0 S L10 AND PD<02281994
T.14
              0 S L10 AND PD<022894
L15
            86 S L10 AND PD<19940228
L16
             80 DUP REM L16 (6 DUPLICATES REMOVED)
L17
            366 S L1 (6A) L4
L18
             64 S L18 AND PD<19940228
L19
=> d au ti so 1-64 119
    ANSWER 1 OF 64 CAPLUS COPYRIGHT 2003 ACS on STN
L19
AU
     Hawkins, Lynda Kaye
     Identification and characterization of adenovirus proteins 12.5k, 20.5k,
TI
     and 16k
     (1994) 139 pp. Avail.: Univ. Microfilms Int., Order No.
so
     DA9531401
     From: Diss. Abstr. Int., B 1995, 56(5), 2468
    ANSWER 2 OF 64 CAPLUS COPYRIGHT 2003 ACS on STN
L19
     Wang, Yan; Albert, Daniel M.; Shenk, Thomas
ΑU
     Adenovirus E1A expression controlled by the red pigment promoter in
TΙ
     transgenic mice: a model for developmental abnormalities of the eye
     Cell Growth & Differentiation (1994), 5(10), 1061-8
20
     CODEN: CGDIE7: ISSN: 1044-9523
     ANSWER 3 OF 64 CAPLUS COPYRIGHT 2003 ACS on STN
L19
     Jomary, C.; Piper, T. A.; Dickson, G.; Couture, L. A.; Smith, A. E.; Neal,
\Delta \Pi
     M. J.: Jones, S. E.
     Adenovirus-mediated gene transfer to murine retinal cells in vitro and in
     FEBS Letters (1994), 347(2-3), 117-22
SO
     CODEN: FEBLAL; ISSN: 0014-5793
L19 ANSWER 4 OF 64 CAPLUS COPYRIGHT 2003 ACS on STN
AU
     Shiao, Shia
     Genome typing of adenovirus type 3 strains isolated from patients with
TΙ
     conjunctivitis in Japan
     Yokohama Igaku (1994), 45(2), 187-96
SO
     CODEN: YKIGAK; ISSN: 0372-7726
L19 ANSWER 5 OF 64 CAPLUS COPYRIGHT 2003 ACS on STN
AU
     Wang, Yan
     Tissue-specific expression of the adenovirus E1A gene causes
TI
      abnormal eye development in transgenic mice
      (1992) 141 pp. Avail.: Univ. Microfilms Int., Order No.
 SO
```

DA9302064

From: Diss. Abstr. Int. B 1993, 53(9), 4516

- L19 ANSWER 6 OF 64 CAPLUS COPYRIGHT 2003 ACS on STN
- AU Feldman, Sandy T.; Gjerset, Ruth; Gately, Dennis; Chien, Kenneth R.; Feramisco, James R.
- TI Expression of SV40 virus large T & antigen by recombinant adenoviruses activates proliferation of corneal endothelium in vitro
- SO Journal of Clinical Investigation (1993), 91(4), 1713-20 CODEN: JCINAO: ISSN: 0021-9738
- L19 ANSWER 7 OF 64 CAPLUS COPYRIGHT 2003 ACS on STN
- AU Dyson, Nicholas; Guida, Peter; Munger, Karl; Harlow, Ed
- TI Homologous sequences in adenovirus E1A and human papillomavirus E7
- proteins mediate interaction with the same set of cellular proteins Journal of Virology (1992), 66(12), 6893-902 CODEN: JOVIAN; ISSN: 0022-538X
- L19 ANSWER 8 OF 64 CAPLUS COPYRIGHT 2003 ACS on STN
- AU Kato, Youichiro; Matsumoto, Hirotaka; Kobayashi, Makio; Okada, Yoshiie; Kawaoi, Akira
- TI Genomic DNA analysis of rat retinal tumor induced by adenovirus type 12 SO Acta Pathologica Japonica (1991), 41(11), 811-17
- L19 ANSWER 9 OF 64 CAPLUS COPYRIGHT 2003 ACS on STN

CODEN: APJAAG; ISSN: 0001-6632

- AU Itakura, Shuu; Aoki, Koki; Sawada, Harumi; Shinagawa, Morikazu
- TI Analysis with restriction endonucleases recognizing 4- or 5-base-pair sequences of human adenovirus type 3 isolated from ocular diseases in Sapporo, Japan
- SO Journal of Clinical Microbiology (1990), 28(10), 2365-9 CODEN: JCMIDW; ISSN: 0095-1137
- L19 ANSWER 10 OF 64 CAPLUS COPYRIGHT 2003 ACS on STN
- IN Dundarov, S.; Andonov, P.; Todorov, Ts.; Tishkov, S.; Minkov, E.; Boyadzhieva, N.; Marinov, A.; Vulova, N.; Alkusheva, M.; et al.
- TI Virucidal pharmaceuticals containing nigericin
- SO Eur. Pat. Appl., 10 pp. CODEN: EPXXDW
- L19 ANSWER 11 OF 64 CAPLUS COPYRIGHT 2003 ACS on STN
- AU Guo, Deng fu; Shinagawa, Morikazu; Aoki, Koki; Sawada, Harumi; Itakura, Shuu; Sato, Gihei
- TI Genome typing of adenovirus strains isolated from conjunctivitis in Japan, Australia, and the Philippines
- SO Microbiology and Immunology (1988), 32(11), 1107-18 CODEN: MIIMDV; ISSN: 0385-5600
- L19 ANSWER 12 OF 64 CAPLUS COPYRIGHT 2003 ACS on STN
- AU Guo, Deng fu; Shibata, Riri; Shinagawa, Morikazu; Sato, Gihe; Aoki, Koki; Sawada, Harumi
- TI Genomic comparison of adenovirus type 3 isolates from patients with acute conjunctivitis in Japan, Australia, and the Philippines
- SO Microbiology and Immunology (1988), 32(8), 833-42
- CODEN: MIIMDV; ISSN: 0385-5600
- L19 ANSWER 13 OF 64 CAPLUS COPYRIGHT 2003 ACS on STN
- AU Higuchi, Makoto; Nakazono, Naoki; Ishii, Keizo; Ohno, Shigeaki; Matsuda, Hidehiko; Fujii, Shinichi; Fujinaga, Kei; Kondo, Kiyotaro
- TI Antigenic and restriction endonuclease analyses of new adenovirus types 19 and 37 causing acute conjunctivitis
- SO Japanese Journal of Ophthalmology (1987), 31(4), 547-57 CODEN: JJOPA7: ISSN: 0021-5155

- L19 ANSWER 14 OF 64 CAPLUS COPYRIGHT 2003 ACS on STN
- AU Sawada, Harumi; Aoki, Koki; Kawana, Rinji; Matsumoto, Ichiro; Shinagawa, Morikazu; Guo, Deng Fu; Fajardo, Romeo V.
- TI Molecular epidemiology of adenoviral conjunctivitis in Sapporo, Japan, and Manila, and the Philippines
- SO Japanese Journal of Ophthalmology (1987), 31(4), 538-46 CODEN: JJOPA7; ISSN: 0021-5155
- L19 ANSWER 15 OF 64 CAPLUS COPYRIGHT 2003 ACS on STN
- AU O'Donnell, B.; Bell, E.; Payne, S. B.; Mautner, V.; Desselberger, U.
- TI Genome analysis of species 3 adenoviruses isolated during summer outbreaks of conjunctivitis and pharyngoconjunctival fever in the Glasgow and London areas in 1981
- SO Journal of Medical Virology (1986), 18(3), 213-27 CODEN: JMVIDB: ISSN: 0146-6615
- L19 ANSWER 16 OF 64 CAPLUS COPYRIGHT 2003 ACS on STN
- AU Suzuki, N.; Ueno, T.; Kaneko, A.; Fujii, S.; Fujinaga, K.
- TI Analysis of retinoblastoma for human adenovirus type 12 genome
- Graefe's Archive for Clinical and Experimental Ophthalmology (1983
), 220(4), 167-70
 - CODEN: GACODL; ISSN: 0721-832X
- L19 ANSWER 17 OF 64 CAPLUS COPYRIGHT 2003 ACS on STN
- AU Wadell, Goeran; De Jong, Jan C.
- Restriction endonucleases in identification of a genome type of adenovirus 19 associated with keratoconjunctivitis
- SO Infection and Immunity (1980), 27(2), 292-6
 - CODEN: INFIBR; ISSN: 0019-9567
- L19 ANSWER 18 OF 64 CAPLUS COPYRIGHT 2003 ACS on STN
- AU Vasileva, V. A.; Ivanov, M. T.; Rumel, N. B.; D'yachenko, A. G.; Kakubava, V. V.; Danelyan, G. A.
- TI Isolation and biological characterization of an adenovirus of rhesus
- macaques SO Acta Biologica et Medica Germanica (1978), 37(8), 1281-7 CODEN: ABMGAJ; ISSN: 0001-5318
- L19 ANSWER 19 OF 64 CAPLUS COPYRIGHT 2003 ACS on STN
- AU Maichuk, Yu. F.
- TI New drugs in chemotherapy of herpesvirus and adenovirus ocular infections SO Prog. Chemother. (Antibacterial, Antiviral, Antineoplast.), Proc. Int.
 - Congr. Chemother., 8th (1974), Meeting Date 1973, Volume 2, 968-71. Editor(s): Daikos, George K. Publisher: Hell. Soc. Chemother., Athens, Greece.
- CODEN: 31TFAO
- L19 ANSWER 20 OF 64 CAPLUS COPYRIGHT 2003 ACS on STN
- IN Field, Arthur K.; Tytell, Alfred A.; Lampson, George P.; Hilleman, Maurice R.
- TI Polynucleotides active as inducers of interferon production in living animal cells
- SO S. African, 67 pp.
- CODEN: SFXXAB
- L19 ANSWER 21 OF 64 CAPLUS COPYRIGHT 2003 ACS on STN
- AU Ermol'eva, Z. V.; Furer, N. M.; Balezina, T. I.; Fadeeva, L. L.; Nemirovskaya, B. M.; Korabel'nikova, N. I.; Kukhar, E. E.; Fainshtein, S. L.; Kalabukhova, N. F.
- TI Experimental-clinical study of interferon and interferonlike substances
- SO Trudy Tsentral'nogo Instituta Usovershenstvovaniya Vrachei (1968), No. 111, 283-7
 - CODEN: TIUVAM; ISSN: 0541-0673

- L19 ANSWER 22 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- Frantzidou, F.; Kyriazopoulou, V.; Souliou, E.; Diza, E. ΔII
- An outbreak of adenovirus type 8 keratoconjunctivitis in the region of TT Thessaloniki.
- Deltion Ellinikis Mikrobiologikis Etaireias, (1994) Vol. 39, No. SO 6, pp. 644-650. CODEN: DHMHDW. ISSN: 0438-9573.
- ANSWER 23 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN L19
- Mahafzah, A. [Reprint author]; Landry, Marie L. AU
- Restriction endonuclease analysis of adenovirus isolates from sporadic and TT
- epidemic ocular infections: Experience in a clinical laboratory. Journal of Medical Microbiology, (1994) Vol. 40, No. 6, pp. SO
- 385-388
 - CODEN: JMMIAV. ISSN: 0022-2615.
- ANSWER 24 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN L19
- Trousdale, M. D. [Reprint author]; Stevenson, D.; Nakamura, T.; Nobrega, AU R.; Mircheff, A. K.; Wood, R. L.
- Experimental adenovirus eye disease in rabbits induced TT
- with high and low titered adenovirus type 5 E3+ and E3- virus. Investigative Ophthalmology and Visual Science, (1994) Vol. 35, SO
 - No. 4, pp. 1336. Meeting Info.: Annual Meeting of the Association for Research in Vision
 - and Ophthalmology. Sarasota, Florida, USA. May 1-6, 1994. CODEN: IOVSDA. ISSN: 0146-0404.
- L19 ANSWER 25 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- Schepetiuk, Sonia K. [Reprint author]; Norton, Robert; Kok, Tuckweng; AU Irving, Louise G.
- Outbreak of adenovirus type 4 conjunctivitis in South Australia.
- Journal of Medical Virology, (1993) Vol. 41, No. 4, pp. 316-318. so CODEN: JMVIDB. ISSN: 0146-6615.
- L19 ANSWER 26 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN Gordon, Y. J.; Romanowski, E. A.; Araullo-Cruz, T. ΑU
- Topical HPMPC is the first effective broad-spectrum antiviral to inhibit TT
- both HSV-1 and adenovirus in the NZ rabbit eye models. Antiviral Research, (1993) Vol. 20, No. SUPPL. 1, pp. 143. SO
 - Meeting Info.: Sixth International Conference on Antiviral Research. Venice, Italy. April 25-30, 1993. CODEN: ARSRDR. ISSN: 0166-3542.
- L19 ANSWER 27 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- Feldman, Sandy T. [Reprint author]; Gjerset, Ruth; Gately, Dennis; Chien, AU Kenneth R.; Feramisco, James R.
- Expression of SV40 virus large T antigen by recombinant TT
- adenoviruses activates proliferation of corneal endothelium in vitro.
- Journal of Clinical Investigation, (1993) Vol. 91, No. 4, pp. SO 1713-1720.
- CODEN: JCINAO. ISSN: 0021-9738. L19 ANSWER 28 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- TSAI J C [Reprint author]; GARLINGHOUSE G; MCDONNELL P J; TROUSDALE M D AU AN EXPERIMENTAL ANIMAL MODEL OF ADENOVIRUS INDUCED OCULAR DISEASE THE
- TT COTTON RAT.
- Archives of Ophthalmology, (1992) Vol. 110, No. 8, pp. SO 1167-1170.
 - CODEN: AROPAW. ISSN: 0003-9950.
- L19 ANSWER 29 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- KILLOUGH R [Reprint author]; KLAPPER P E; BAILEY A S; SHARP I R; TULLO A; AU

- RICHMOND S J
- AN IMMUNE DOT-BLOT TECHNIQUE FOR THE DIAGNOSIS OF OCULAR ADENOVIRUS TI
- Journal of Virological Methods, (1990) Vol. 30, No. 2, pp. SO 197-204.
- CODEN: JVMEDH. ISSN: 0166-0934.
- ANSWER 30 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- ΔII MAUDGAL P C [Reprint author]
- CYTOPATHOLOGY OF ADENOVIRUS KERATITIS BY REPLICA TECHNIQUE. TT
- British Journal of Ophthalmology, (1990) Vol. 74, No. 11, pp. SO
 - CODEN: BJOPAL, ISSN: 0007-1161.
- L19 ANSWER 31 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- KASOVA V [Reprint author]; KUNZOVA L; HERZINGER J AU
- EPIDEMIC KERATOCONJUNCTIVITIS LABORATORY INVESTIGATIONS OF PATIENTS TT INFECTED WITH ADENOVIRUS TYPE 8.
- Ceskoslovenska Epidemiologie Mikrobiologie Imunologie, (1989) SO Vol. 38, No. 5, pp. 273-279. CODEN: CKEMAE. ISSN: 0009-0522.
- ANSWER 32 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN L19
- KIRASOVA M A [Reprint author]; KHIL'KO S N; KRICHEVSKAYA G I AU
- ELISA OF ADENOVIRUS HEXON SERODIAGNOSIS IN HUMAN EYE TI
- DISEASES.
- Voprosy Virusologii, (1989) Vol. 34, No. 2, pp. 192-196. SO CODEN: VVIRAT. ISSN: 0507-4088.
- L19 ANSWER 33 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- WALPITA P [Reprint author]; DAROUGAR S AU
- DOUBLE-LABEL IMMUNOFLUORESCENCE METHOD FOR SIMULTANEOUS DETECTION OF тт ADENOVIRUS AND HERPES SIMPLEX VIRUS FROM THE EYE.
- Journal of Clinical Microbiology, (1989) Vol. 27, No. 7, pp. SO 1623-1625. CODEN: JCMIDW. ISSN: 0095-1137.
- L19 ANSWER 34 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- CLEVELAND P H [Reprint author]; DISHAROON D R ΔII DETECTION OF ADENOVIRUS ADV IN EYE SPECIMENS FROM TT
 - PATIENTS WITH EPIDEMIC KERATOCONJUNCTIVITIS BY SPECIFIC ANTIGEN CONCENTRATION IN IMMUNOAFFINITY CHAMBERS.
- Investigative Ophthalmology and Visual Science, (1989) Vol. 30, SO
- No. 3 SUPPL, pp. 362. Meeting Info.: ANNUAL SPRING MEETING OF THE ASSOCIATION FOR RESEARCH IN VISION AND OPHTHALMOLOGY, SARASOTA, FLORIDA, USA, APRIL 30-MAY 5, 1989. INVEST OPHTHALMOL VISUAL SCI. CODEN: IOVSDA. ISSN: 0146-0404.
- L19 ANSWER 35 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- KRISHER K K [Reprint author]; MENEGUS M A ΑU
- EVALUATION OF THREE TYPES OF CELL CULTURE FOR RECOVERY OF ADENOVIRUS FROM TΙ CLINICAL SPECIMENS.
- Journal of Clinical Microbiology, (1987) Vol. 25, No. 7, pp. 1323-1324. CODEN: JCMIDW. ISSN: 0095-1137.
- L19 ANSWER 36 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- YIRRELL D L [Reprint author]; DARVILLE J M; ARMSTRONG A G; IRISH M J ΑΠ
- A CORRELATION BETWEEN THE WEATHER AND THE INCIDENCE OF OCULAR ADENOVIRUS TТ INFECTIONS BRIEF REPORT.
- Archives of Virology, (1986) Vol. 91, No. 3-4, pp. 367-374. 90 CODEN: ARVIDF. ISSN: 0304-8608.

- L19 ANSWER 37 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- AU CLEVELAND P H [Reprint author]; TERRY L; RICHMAN D D; HOWE W E; CHOATE V; DESOUSA B; ROBERTSON S M
- TI A 25-MINUTE ASSAY FOR THE DETECTION OF HERPES SIMPLEX VARICELLA ZOSTER AND ADRNOVINUS ANTIGENS DIRECTLY ON EYE SWABS.
- SO Investigative Ophthalmology and Visual Science, (1986) Vol. 27,
 - No. 3 SUPPL, pp. 47.
 Meeting Info.: ANNUAL SPRING MEETING OF THE ASSOCIATION FOR RESEARCH IN
 VISION AND OPHTHALMOLOGY INCORPORATED, SARASOTA, FLA., USA, APR. 28-MAY 2,
 1986. INVEST OPHTHALMOL VISUAL SCI.
- L19 ANSWER 38 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- AU MAICHUK YU F [Reprint author]; MIKULI S G
 TI THE EFFECT OF HERPES SIMPLEX VIRUS ANTIGEN ON THE FORMATION OF E-ROSETTES
 BY THE LYMPHOCYTES OF PATIENTS WITH HERPETIC EYE INFECTION.
- SO Voprosy Virusologii, (1985) Vol. 30, No. 1, pp. 78-80.
- CODEN: VVIRAT. ISSN: 0507-4088.

CODEN: IOVSDA. ISSN: 0146-0404.

- L19 ANSWER 39 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. ON STN AU BUEHLER JW (Reprint author); FINTON R F; GOODMAN R A; CHOI K; HIERHOLZER J C; SIKES R K; ELSEA W R
- TI EPIDEMIC KERATOCONJUNCTIVITIS REPORT OF AN OUTBREAK IN AN OPHTHALMOLOGY PRACTICE AND RECOMMENDATIONS FOR PREVENTION.
- SO Infection Control (Thorofare), (1984) Vol. 5, No. 8, pp. 390-394.
 CODEN: IICODV. ISSN: 0195-9417.
- L19 ANSWER 40 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- AU MAL'KHANOV V B [Reprint author]
- TI B LYMPHOCYTES IN CHRONIC HERPES AND ADENOVIRUS INFECTIONS OF THE
- SO Voprosy Virusologii, (1982) No. 2, pp. 238-240. CODEN: VVIRAT. ISSN: 0507-4088.
- L19 ANSWER 41 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. ON STN AU IKIC D [Reprint author]; TRAJER D; CUPAK K; PETRICEVIC I; PRAZIC M; SOLDO
- I; JUSIC D; SMERDEL S; SOOS E
 TI CLINICAL USE OF HUMAN LEUKOCYTE INTERFERON IN VIRAL INFECTIONS.
- SO International Journal of Clinical Pharmacology Therapy and Toxicology, (
 1981) Vol. 19, No. 11, pp. 498-505.
 TSSN: 0.174-4879.
- L19 ANSWER 42 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- AU DE JONG J C [Reprint author]; WIGAND R; WADELL G; KELLER D; WERMENBOL A G; SCHAAP G J P: MUZERIE C J
- TI ADENOVIRUS 37 IDENTIFICATION AND CHARACTERIZATION OF A MEDICALLY IMPORTANT NEW ADENOVIRUS TYPE OF SUBGROUP D.
- SO Journal of Medical Virology, (1981) Vol. 7, No. 2, pp. 105-118. CODEN: JMVIDB. ISSN: 0146-6615.
- L19 ANSWER 43 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- AU IRVING L [Reprint author]; KENNETT M; LEWIS F; BIRCH C; DONALDSON A
- TI ADENOVIRUS EYE INFECTIONS IN AN AUSTRALIAN CITY
- 1972-1979.
- SO Journal of Hygiene, (1981) Vol. 86, No. 1, pp. 95-104.
 CODEN: JOHYAY. ISSN: 0022-1724.
- L19 ANSWER 44 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- AU HARNETT G B [Reprint author]; NEWHNAM W A
 TI ISOLATION OF ADENOVIRUS TYPE 19 FROM THE MALE AND FEMALE GENITAL TRACTS.
- SO British Journal of Venereal Diseases, (1981) Vol. 57, No. 1, pp. 55-57.
 - CODEN: BJVDAK. ISSN: 0007-134X.

- L19 ANSWER 45 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- HIERHOLZER J C [Reprint author]; RODRIGUEZ F H JR AU
- ANTIGENICALLY INTERMEDIATE HUMAN ADENOVIRUS STRAIN ASSOCIATED WITH TT CONJUNCTIVITIS.
- SO Journal of Clinical Microbiology, (1981) Vol. 13, No. 2, pp. 395-397. CODEN: JCMIDW. ISSN: 0095-1137.
- L19 ANSWER 46 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- AU WIGAND R [Reprint author]; BRUCH P; TRAUZETTEL S; SUNDMACHER R
- TΙ VIROLOGICAL DIAGNOSIS OF EPIDEMIC KERATO CONJUNCTIVITIS.
- SO Zentralblatt fuer Bakteriologie Parasitenkunde Infektionskrankheiten und Hygiene Erste Abteilung Originale Reihe A Medizinische Mikrobiologie und Parasitologie, (1979) Vol. 245, No. 3, pp. 395-408. CODEN: ZMMPAO. ISSN: 0300-9688.
- L19 ANSWER 47 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- DAROUGAR S [Reprint author]; HUNTER P A; VISWALINGAM M; GIBSON J A; JONES AU
- ACUTE FOLLICULAR CONJUNCTIVITIS AND KERATO CONJUNCTIVITIS DUE TO HERPES TT SIMPLEX VIRUS IN LONDON ENGLAND UK.
- British Journal of Ophthalmology, (1978) Vol. 62, No. 12, pp. SO 843-849 CODEN: BJOPAL, ISSN: 0007-1161.
- L19 ANSWER 48 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN
- AU PERSHIN G N; FRINEV A N; LIBERMAN S S TI CONCERNING THE ARTICLE BY N R GUTMAN I V ZASTAVNII L S MONAKHOV AND I G
- BALANDIN BONAPHTHON IN EXPERIMENTAL INFLUENZA. SO Khimiko-Farmatsevticheskii Zhurnal, (1976) Vol. 10, No. 10, pp.
- 146-148. CODEN: KHFZAN. ISSN: 0023-1134.
- L19 ANSWER 49 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN ΔII FRISCH J E
- TΙ THE RELATIVE INCIDENCE AND EFFECT OF BOVINE INFECTIOUS KERATO CONJUNCTIVITIS IN BOS-INDICUS AND BOS-TAURUS CATTLE.
- Animal Production, (1975) Vol. 21, No. 3, pp. 265-274. SO CODEN: ANIPA8. ISSN: 0003-3561.
- L19 ANSWER 50 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN TAI F H; LIN H M; CHU S; WEI H Y; HIERHOLZER J C ΔII
- A NEW FORM OF ACUTE CONJUNCTIVITIS EPIDEMIC IN TAIWAN A SIMULTANEOUS
- OUTBREAK OF ADENOVIRUS TYPE II AND ACUTE HEMORRHAGIC CONJUNCTIVITIS VIRUS INFECTIONS. SO
- Chinese Journal of Microbiology, (1974) Vol. 7, No. 2, pp. 79-88.
- L19 ANSWER 51 OF 64 BIOSIS COPYRIGHT 2003 BIOLOGICAL ABSTRACTS INC. on STN ΑU MAICHUK Y F
- TΙ FLORENAL IN TREATMENT OF HERPESVIRUS AND ADENOVIRUS EVE
- DISEASES.
- SO Investigative Ophthalmology, (1971) Vol. 10, No. 6, pp. 408-414. CODEN: INOPAO. ISSN: 0020-9988.
- L19 ANSWER 52 OF 64 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- AU SCHEPETIUK S K (Reprint); NORTON R; KOK T; IRVING L G
- TΙ OUTBREAK OF ADENOVIRUS TYPE-4 CONJUNCTIVITIS IN SOUTH AUSTRALIA
- so JOURNAL OF MEDICAL VIROLOGY, (DEC 1993) Vol. 41, No. 4, pp. 316-318. ISSN: 0146-6615.
- L19 ANSWER 53 OF 64 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN

- AU JERNIGAN J A; LOWRY B S; HAYDEN F G; KYGER S A; CONWAY B P; GROSCHEL D H M; FARR B M (Reprint)
- TI ADENOVIRUS TYPE-8 EPIDEMIC KERATOCONJUNCTIVITIS IN AN EYE CLINIC - RISK-FACTORS AND CONTROL
- JOURNAL OF INFECTIOUS DISEASES, (JUN 1993) Vol. 167, No. 6, pp. SO 1307-1313.

ISSN: 0022-1899.

SO

- L19 ANSWER 54 OF 64 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- AU FELDMAN S T (Reprint); GJERSET R; GATELY D; CHIEN K R; FERAMISCO J R
- EXPRESSION OF SV40 VIRUS LARGE T-ANTIGEN BY RECOMBINANT TI
 - ADENOVIRUSES ACTIVATES PROLIFERATION OF CORNEAL ENDOTHELIUM INVITRO
- JOURNAL OF CLINICAL INVESTIGATION, (APR 1993) Vol. 91, No. 4, pp. 1713-1720. ISSN: 0021-9738.
- L19 ANSWER 55 OF 64 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- GORDON Y J (Reprint); ROMANOWSKI E G; ARAULLOCRUZ T AU
- TOPICAL HPMPC IS THE 1ST EFFECTIVE BROAD-SPECTRUM ANTIVIRAL TO INHIBIT TI
 - BOTH HSV-1 AND ADENOVIRUS IN THE NZ RABBIT EYE MODELS
- INVESTIGATIVE OPHTHALMOLOGY & VISUAL SCIENCE, (15 MAR 1993) Vol. SO 34, No. 4, pp. 1346. ISSN: 0146-0404.
- L19 ANSWER 56 OF 64 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- AU GORDON Y J (Reprint); ROMANOWSKI E; ARAULLOCRUZ T; DECLERCO E
- PRETREATMENT WITH TOPICAL 0.1-PERCENT (S)-1-(3-HYDROXY-2-PHOSPHONYLMETHOXYPROPYL) CYTOSINE INHIBITS ADENOVIRUS TYPE-5 REPLICATION IN THE NEW-ZEALAND RABBIT OCULAR MODEL
- CORNEA, (NOV 1992) Vol. 11, No. 6, pp. 529-533. SO ISSN: 0277-3740.
- L19 ANSWER 57 OF 64 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- AU TSAI J C; GARLINGHOUSE G; MCDONNELL P J; TROUSDALE M D (Reprint)
- TΙ AN EXPERIMENTAL ANIMAL-MODEL OF ADENOVIRUS-INDUCED OCULAR DISEASE - THE COTTON RAT
- so ARCHIVES OF OPHTHALMOLOGY, (AUG 1992) Vol. 110, No. 8, pp. 1167-1170. ISSN: 0003-9950.
- L19 ANSWER 58 OF 64 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- AU WALPITA P (Reprint): DAROUGAR S
- DOUBLE-LABEL IMMUNOFLUORESCENCE METHOD FOR SIMULTANEOUS DETECTION OF TI ADENOVIRUS AND HERPES-SIMPLEX VIRUS FROM THE EYE
- SO JOURNAL OF CLINICAL MICROBIOLOGY, (1989) Vol. 27, No. 7, pp. 1623-1625.
- L19 ANSWER 59 OF 64 SCISEARCH COPYRIGHT 2003 THOMSON IST on STN
- AU KIRASOVA M A (Reprint); KHILKO S N; KRICHEVSKAYA G I
- TI ENZYME-LINKED IMMUNOSORBENT-ASSAY OF ADENOVIRUS HEXON -
- SERODIAGNOSIS IN HUMAN-EYE DISEASES
- VOPROSY VIRUSOLOGII, (1989) No. 2, pp. 192-196. SO
- L19 ANSWER 60 OF 64 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- AU MALKHANOV V B (Reprint); ISHEMYAROVA S N
- THE SIGNIFICANCE OF THE RADICAL HEMOLYSIS REACTION FOR THE DIAGNOSIS OF TI THE HERPETIC AND ADENOVIRUS EYE INFECTION
- SO VOPROSY VIRUSOLOGII, (1985) No. 3, pp. 362-364.
- L19 ANSWER 61 OF 64 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- DENOYEL G A (Reprint); MIAS A E; GRANGE J D; TIGAUD S; VINCENT P
- TI RAPID DETECTION OF ADENOVIRUS INFECTIONS OF THE EYE
- SO PRESSE MEDICALE, (1985) Vol. 14, No. 1, pp. 45-46.

- L19 ANSWER 62 OF 64 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- AU MALKHANOV V B (Reprint)
- TI STUDY OF LYMPHOCYTES-B IN CHRONIC HERPES AND ADENOVIRUS INFECTIONS OF THE EYES
- SO VOPROSY VIRUSOLOGII, (1982) No. 2, pp. 238-240.
- L19 ANSWER 63 OF 64 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- AU IRVING L (Reprint); KENNETT M; LEWIS F; BIRCH C; DONALDSON A
- TI ADENOVIRUS EYE INFECTIONS IN AN AUSTRALIAN CITY, 1972-9
- SO JOURNAL OF HYGIENE, (1981) Vol. 86, No. 1, pp. 95-103.
- L19 ANSWER 64 OF 64 SCISEARCH COPYRIGHT 2003 THOMSON ISI on STN
- AU EKINS M B (Reprint)
- TI ADENOVIRUS INFECTIONS OF THE EYE
- SO WESTERN JOURNAL OF MEDICINE, (1979) Vol. 130, No. 6, pp.
 - 541-542.